


ALPINE SANITATION & SUPPLIES LTD. 24 Ronson Drive, Unit 16, Etobicoke, Ontario M9W 1B4 Bus: (416)-744-2120 Fax: (416)-249-1859 Toll Free: 1-800 465-6198

Standard Features

- Fully automatic wash/rinse cycle processes a rack of wares in 140 seconds ... 21 racks an hour!
- Easy to operate: On to fill, Off to drain.
- Pumped drain permits use of drain connections up to 4 feet [1220mm] above the floor.
- Extended wash switch provides a prolonged wash cycle for heavily soiled items and doubles as the switch that activates the deliming cycle.
- Upper and lower wash/rinse arms produce sparkling clean ware every time.
- Built-in booster provides 180°F/82°C final rinse water.
- Rinse Sent ry: monitors the booster temperature and automatically extends the cycle time to ensure 180°F final rinse.
- Thermostatically controlled wash tank heater maintains water at the required temperature.
- Exclusive vent design permits venting of condensation.
- Heavy-duty stainless steel construction.
- 16" [406mm] door opening accommodates larger wares, including trays!
- Detergent pump and rinse-aid pump are standard.
- Complete with two 20" x 20" [508mm x 508mm] racks (peg rack and flat rack).
- One year parts and labor warranty.

501HT

Undercounter High Temperature Dishwashing Machine with Built-in Booster Heater



*Shown with optional top and side panels

501HT

Undercounter High Temperature Dishwashing Machine with Built-in Booster Heater

Quic Capac	k Facts	6							Di	imensions shown in inches and [millimete
	acks per h	nr		21						
	horsepo			_ '		-	—— 24" [61	0]►	-	3
	ash	WCI	C).5					1	Ŧ ×
	Consum	ntion	C C							2
	r hr. (max		37 US g	al·						
16	a m. (ma)	(. use)	147 lite							
			31.5 imp. g	,						
Per rack			1.8 US g						331/2	^{2"} [851]
Fe	ITAUN		7 lite							24" [61
			1.5 imp. g	,			Γ	○ • □ □ □		
Tompo	ratures °	°E/C	1.5 imp. g	Jai			L	<u> </u>		
	ash (mini		150/	88	1½" [38	3]→	-1			9"[229]
	nse (mini		180/			Ψ		nt View	_] ,	
Heatin		mumj	100/	0 <u>~</u>			FIO	it view		Plan View
	-	electric (k\	N) 1	.2						
	ectric boc		,							
			22°C rice)	6						← 41" [1041] →
	(kWrequired for 40°F/22°C rise) 6 (kWrequired for 70°F/39°C rise) 9									
	sycle in s		Sa C lise)	9						
		econus		80						
									/ 16" ¦	
	200			23						([400]
Ri	nse ain/fill			23 37						/ [406] / Clearance
Ri	nse ain/fill			23 37						/ [406] / Clearance
Ri Dr	ain/fill	2°C Rise Bo		37	1HT with	70°F/39	9°C Rise Bo	oster		
Ri Dr	ain/fill	2°C Rise Boo Minimum		37	1HT with	70°F/39	9°C Rise Bo Minimum	ooster Maxim	num	
Rin Dr 501HT v Elec.	ain/fill with 40°F/22 Rated	Minimum Supply Ckt.	oster Maximum Overcurrent	37 50 [.] EI	lec. F	ated	Minimum Supply Ckt	Maxim Overcu	rrent	
Rin Dr 501HT v	ain/fill with 40°F/22	Minimum	oster Maximum	37 50 [.] EI	lec. F		Minimum	Maxim Overcu	rrent	
Rin Dr 501HT v Elec. Specs. 208/60/1	ain/fill with 40°F/22 Rated Amps 36	Minimum Supply Ckt. Conductor Ampacity 50	Maximum Overcurrent Protective Device 50	37 50 El Sp 208	lec. F becs. A 8/60/1	ated mps 48	Minimum Supply Ckt. Conductor Ampacity 60	Maxim Overcu Protec Devi 60	tive ce	1" [25]
Rin Dr 501HT v Elec. Specs.	ain/fill with 40°F/22 Rated Amps 36	Minimum Supply Ckt. Conductor Ampacity	Maximum Overcurrent Protective Device	37 50 El Sp 208	lec. F ecs. A	ated mps	Minimum Supply Ckt Conductor Ampacity	Maxim Overcu Protec Devi	tive ce	
Rin Dr 501HT v Elec. Specs. 208/60/1	ain/fill with 40°F/22 Rated Amps 36 40	Minimum Supply Ckt. Conductor Ampacity 50	Maximum Overcurrent Protective Device 50	37 50 El Sp 208	lec. F becs. A 8/60/1 0/60/1 *Note Electi	48 55 cal sup	Minimum Supply Ckt. Conductor Ampacity 60 70	Maxim Overcu Protec Devi 60	tive ce	1" [25]
Rin Dr 501HT v Elec. Specs. 208/60/1 240/60/1 Utilit	ain/fill vith 40°F/22 Rated Amps 36 40 ies	Minimum Supply Ckt. Conductor Ampacity 50 50	Maximum Overcurrent Protective Device 50 50	37 50 El Sp 208	lec. F pecs. A 8/60/1 0/60/1 *Note Electi servic	48 55 ical sup	Minimum Supply Ckt. Conductor Ampacity 60 70 70	Maxim Overcu Protec Devi 60 70	tive ce	$1^{"} [25] \xrightarrow{1} 1^{"} $
Bit 501HT v Elec. Specs. 208/60/1 240/60/1 Utilit 1	ain/fill vith 40°F/22 Rated Amps 36 40 ies Electrical	Minimum Supply Ckt. Conductor Ampacity 50 50 connection	Maximum Overcurrent Protective Device 50 50	37 50 El Sp 208	lec. pecs. B/60/1 0/60/1 *Note Electu servic a 3-w grour	48 55 cical support must irre plus d for	Minimum Supply Ckt. Conductor Ampacity 60 70 Poply be	Maxim Overcu Protec Devi 60		1" [25]
Bit 501HT v 501HT v Elec. Specs. 208/60/1 Utilitt Utilitt 1 2	ain/fill vith 40°F/22 Rated Amps 36 40 ies Electrical 08-240/6	Minimum Supply Ckt. Conductor Ampacity 50 50 connection 0/1; 3 wire	Maximum Overcurrent Protective Device 50 50	37 50 El Sp 208	lec. Pecs. B/60/1 0/60/1 Electu servic a 3-w grour conne	48 55 cical support ire plus d for ection as	Minimum Supply Ckt. Conductor Ampacity 60 70 Poply be	Maxim Overcu Protec Devi 60 70		1" [25] 1"
Rii Dr 501HT v Elec. Specs. 208/60/1 240/60/1 Utilit 1 E 2 2 h	ain/fill vith 40°F/22 Rated Amps 36 40 ies Electrical 08-240/6 ard wiring	Minimum Supply Ckt. Conductor Ampacity 50 50 connection 0/1; 3 wire g required	Maximum Overcurrent Protective Device 50 50	37 50 El Sp 208	lec. pecs. B/60/1 0/60/1 *Note Electu servic a 3-w grour	48 55 cical support ire plus d for ection as	Minimum Supply Ckt. Conductor Ampacity 60 70 Poply be	Maxim Overcu Protec Devi 60 70 5V ─── +115V ►		$1^{"} [25] \xrightarrow{1} 1^{"} $
Bit 501HT v Elec. Specs. 208/60/1 240/60/1 Utilit 1 2 2	ain/fill vith 40°F/22 Rated Amps 36 40 ies Electrical 08-240/6 ard wiring Vater con	Minimum Supply Ckt. Conductor Ampacity 50 50 connection 0/1; 3 wire g required nection:	Maximum Overcurrent Protective Device 50 50 	37 50 208 240	lec. A B/60/1 D/60/1 *Note Election groun conne show	48 55 c: c: c: c: c: c: c: c: c: c: c: c: c:	Minimum Supply Ckt. Conductor Ampacity 60 70 70 70 pply be s L1	Maxim Overcu Protec Devi 60 70 5V +115V L2 N		1" [25] 1"
Bit 501HT v Elec. Specs. 208/60/1 240/60/1 Utilit 1 2 µ 2 V 1	ain/fill vith 40°F/22 Rated Amps 36 40 ies Electrical 08-240/6 ard wiring Vater con 40°F/60°	Minimum Supply Ckt. Conductor Ampacity 50 50 connection 0/1; 3 wire g required nection: C Min., ho	Maximum Overcurrent Protective 50 50 50	37 50 El Sp 208 240	lec. A s/60/1 0/60/1 *Note Elect servic a 3-w grour conne show	48 55 e: cical supple must ire plus d for ection as n. °F/22°	Minimum Supply Ckt. Conductor Ampacity 60 70 pply be s L1	Maxim Overcu Protec Devi 600 70 *115V+ L2 N		1" [25] 1"
Bit 501HT v Elec. Specs. 208/60/1 240/60/1 Utilit 1 2 µ 2 V 1 2 1 2 1 1 1 2 1 1 1 2 1 1 1 1 1 1 1 2 1 1 2 1 1	ain/fill with 40°F/22 Rated Amps 36 40 ies Electrical 08-240/6 ard wiring Vater con 40°F/60° 10°F/43°	Minimum Supply Ckt. Conductor Ampacity 50 50 connection 0/1; 3 wire g required nection: C Min., ho C Min., ho	Maximum Overcurrent Protective Device 50 50 50 1: + ground (see box) t water cor t water cor	37 50 El Sp 208 240	lec. A s/60/1 b/60/1 *Note Elect servic a 3-w grour connt show n for 40 n for 70	48 55 25 22 22 25 22 25 25 25 25 25 25 25	Minimum Supply Ckt. Conductor Ampacity 60 70 pply be s L1	Maxim Overcu Protec Devi 600 70 *115V+ L2 N		Clearance 1" [25] 1"
Bit 501HT v 501HT v Elec. Specs. 208/60/1 240/60/1 Utilit 1 2 V 1 2 V 1 2 1 6	ain/fill vith 40°F/22 Rated Amps 36 40 ies Electrical 08-240/6 ard wiring Vater con 40°F/60° 10°F/43° ft. long,	Minimum Supply Ckt. Conductor Ampacity 50 50 connection 0/1; 3 wire g required nection: C Min., ho C Min., ho C Min., ho	Maximum Overcurrent Protective Device 50 50 50 e + ground (see box) t water cor t water cor exible fill ho	37 50 200 240 240 240 240 240 240 240 240 24	lec. A B/60/1 0/60/1 *Note Elect servic a 3-w grour conne show n for 40 n for 70 n 3/4" h	48 55 25 22 22 25 22 25 25 25 25 25 25 25	Minimum Supply Ckt. Conductor Ampacity 60 70 pply be s L1	Maxim Overcu Protec Devi 600 70 *115V+ L2 N		Clearance 1" [25] 1" [25] 1" [25] 1" [25] 1" Side View Side View NSF. Of Step * Supply water temperature 140°F/60°C M Warning: Plumbing and electrical connections should be made by qualified personnel who will
Bit 501HT v 501EC. Specs. 208/60/1 240/60/1 Utilit 1 2 V 1 2 V 1 6 6 6	ain/fill vith 40°F/22 Rated Amps 36 40 ies Electrical 08-240/6 ard wiring Vater con 40°F/60° 10°F/43° ft. long, low press	Minimum Supply Ckt. Conductor Ampacity 50 50 connection 0/1; 3 wire g required nection: C Min., ho C Min., ho C Min., ho C Min., ho	Maximum Overcurrent Protective Device 50 50 50 1: + ground (see box) t water cor t water cor	37 50 200 240 240 240 240 240 240 240 240 24	lec. A B/60/1 0/60/1 *Note Elect servic a 3-w grour conne show n for 40 n for 70 n 3/4" h	48 55 25 22 22 25 22 25 25 25 25 25 25 25	Minimum Supply Ckt. Conductor Ampacity 60 70 pply be s L1	Maxim Overcu Protec Devi 600 70 *115V+ L2 N		Clearance 1" [25] 1" [25] 1" [25] 1" [25] 1" Side View Side View NSF. Side View * Supply water temperature 140°F/60°C M Warning: Plumbing and electrical connections should be made by qualified personnel who will observe all the applicable plumbing,
Bit 501HT v 501EC. Specs. 208/60/1 240/60/1 Utilit 1 2 V 1 2 V 1 2 V 1 6 6 7 3	ain/fill vith 40°F/22 Rated Amps 36 40 ies Electrical 08-240/6 ard wiring Vater con 40°F/60° fl. long, flow press Drain conr	Minimum Supply Ckt. Conductor Ampacity 50 50 connection 0/1; 3 wire g required nection: C Min., ho C Min., ho C Min., ho C Min., ho c Min., ho c Min., ho c Min., ho	Maximum Overcurrent Protective Device 50 50 70 70 70 70 70 70 70 70 70 70 70 70 70	37 50 200 240 240 240 240 240 240 240 240 24	lec. A B/60/1 0/60/1 *Note Elect servic a 3-w grour conne show n for 40 n for 70 n 3/4" h	48 55 25 22 22 25 22 25 25 25 25 25 25 25	Minimum Supply Ckt. Conductor Ampacity 60 70 pply be s L1	Maxim Overcu Protec Devi 600 70 *115V+ L2 N		Clearance 1" [25] 1
Bit 501HT v 501EC. Specs. 208/60/1 240/60/1 Utilit 1 2 V 1 2 V 1 2 V 1 6 6 7 3 6 6	ain/fill with 40°F/22 Rated Amps 36 40 ies Electrical 08-240/6 ard wiring Vater con 40°F/60° ft. long, ft. long, ft. long, 40 ies	Minimum Supply Ckt. Conductor Ampacity 50 50 connection 0/1; 3 wire g required nection: C Min., ho C Min., ho C Min., ho C Min., ho C Min., ho Sure: 25-95 nection: 5/8" I.D. fle	Maximum Overcurrent Protective Device 50 50 70 70 70 70 70 70 70 70 70 70 70 70 70	37 50 208 208 240 240 240	lec. A 8/60/1 0/60/1 *Note Election servic a 3-w grour conne show n for 40 n for 70 n 3/4" h a)	atted mps 48 55 55 55 55 55 55 55 55 55 55 67 80 80 80 80 80 80 80 80 80 80 80 80 80	Minimum Supply Ckt. Conductor Ampacity 60 70 pply be s L1	Maxim Overcu Protec Devi 600 70 *115V+ L2 N		Clearance 1" [25] 1" [25] 1" [25] 1" [25] 1" Side View Side View Side View Warning: Plumbing and electrical connections should be made by qualified personnel who will observe all the applicable plumbing, sanitary and safety codes. Due to an ongoing value analysis program
Bit 501HT v 501EC. Specs. 208/60/1 240/60/1 Utilit 1 2 V 1 2 V 1 2 V 1 6 6 7 3 6 6	ain/fill with 40°F/22 Rated Amps 36 40 ies Electrical 08-240/6 ard wiring Vater con 40°F/60° ft. long, ft. long, ft. long, 40 ies	Minimum Supply Ckt. Conductor Ampacity 50 50 connection 0/1; 3 wire g required nection: C Min., ho C Min., ho C Min., ho C Min., ho C Min., ho Sure: 25-95 nection: 5/8" I.D. fle	Maximum Overcurrent Protective Device 50 50 70 70 70 70 70 70 70 70 70 70 70 70 70	37 50 208 208 240 240 240	lec. A 8/60/1 0/60/1 *Note Election servic a 3-w grour conne show n for 40 n for 70 n 3/4" h a)	atted mps 48 55 55 55 55 55 55 55 55 55 55 67 80 80 80 80 80 80 80 80 80 80 80 80 80	Minimum Supply Ckt. Conductor Ampacity 60 70 pply be s L1	Maxim Overcu Protec Devi 600 70 *115V+ L2 N		Clearance 1" [25] 1

Optional Accessories:

0708756	_	Kit 504 - top and side panel
0708744	_	Kit 505 - top panel
0708745	_	Kit 506 - left side panel
0708746	_	Kit 507 - right side panel
		Kit 511 - 70° rise booster
0708757	_	17RS - 17" rack storage stand
		CST - Combination sink/table
0701969	_	6T - 6" stand

	Uncrated	Crated			
Height*	33-1/2" [851]	39-1/2" [1003]			
Width	24" [610]	25" [635]			
Depth	24" [610]	25-1/2" [647]			
Ship Wt. Ibs/kg	178/79	198/90			
* Front leveling feet provided.					